

20-meter tail sling armor




20-meter tail sling armor



Legacy tail slings suffer from two major deficiencies. First, metal adjustment buckles that rust, break and damage other gear. These buckles also have springs that often fail leaving the sling useless. Next is ...



The Viking Tactics Padded Sling was designed with the same great features as the original Viking Tactics Sling, but with the added comfort for carrying heavier firearms. This slings makes long days ...



The Viking Tactics Padded Sling was designed with the same great ...



The GMT Sling uses a custom double locking buckle interface that allows for rapid adjustability without the parts that fail typically found on legacy tailed slings.



Revolutionizing the sling industry by designing a tailed rifle sling that's far superior to any legacy model. The GMT Sling addressed the deficiencies found in legacy tail sling designs for those ...



The GMT Sling is currently offered in your choice of standard 1.25" webbing width that fits standard hardware options and a 1.00" version designed for submachine guns, pistol caliber carbines and ...



The Vickers Sling™ has been our most popular product of all, with service in every branch of service here at home as well as several foreign militaries, making it the clear choice for an AR15 sling.



All Ares Armor Nylon Gear is handcrafted to meet your tactical needs. To stay in-line with providing superior quality, all Ares Armor tactical gear is built to order; please allow 2-8 weeks for delivery. ...



Blue Force Gear, GMT "Give Me Tail", 2-Point Combat Sling, 1.25" Webbing, Snag Free Lock Release Tab, TEX 70 Bonded Nylon Thread, Multicam Blue Force Gear \$58.95 \$61.99 Sale



Ten-Speed technology enables lightning-fast equipment deployment and stowage, giving operators the tactical advantage when seconds count. Designed for high-speed operations where quick access to ...



[POOLER, GA, December 21, 2021] For 15 years, Blue Force Gear has provided our legendary tail-less Vickers Sling™ as the optimal sling for battlefield use. We are proud that our go-to favorite VCAS® ...

Sling Colors and Widths Low Quality Material = Big Problems Superior Webbing Makes The Difference Legacy Slings Utilize An Outdated Alice Pack Adjuster Double Locking Sling Adjuster Always Better® The GMT Sling is currently offered in your choice of standard 1.25" webbing width that fits standard hardware options and a 1.00" version designed for submachine guns, pistol caliber carbines and other lighter weight weapons that benefit from a smaller sling. Both widths are available in Black, Coyote Brown, MultiCam, Ranger Green and Wolf Gray. See more on bigtex ordnance Brand: Blue Force Gear Availability: Out of stock.

```

.rcimgcol .cico { background: #f5f5f5; }
.b_drk .rcimgcol .cico, .b_dark .rcimgcol .cico { background: unset; }
.b_imgSet .b_hList li.square_m, .b_imgSet .b_hList li.tall_m { width: 75px; }
.b_imgSet .b_hList li.tall_mlb { width: 113px; }
.b_imgSet .b_hList li.tall_mln { width: 96px; }
.b_imgSet .b_hList li.wide_m { width: 128px; }
.b_imgSet .b_Card .b_hList li { padding-left: 1px; padding-right: 9px; }
.b_imgSet .b_Card .b_hList li.tall_wfn { width: 80px; padding-right: 6px; }
.b_imgSet .b_Card .b_hList li:last-child { padding-right: 1px; }
.b_imgSet .b_Card .b_imgSetData { padding: 0 8px 8px; height: 40px; }
.b_imgSet .b_Card .b_imgSetItem { box-shadow: 0 0 0 1px rgba(0,0,0,.05), 0 2px 3px 0 rgba(0,0,0,.1); border-radius: 6px; overflow: hidden; }
.b_imgSet .b_imgSetData p a { color: #444; outline-offset: 0; }
.b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink, .b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink:visited, .b_subModule > .b_moreLink, .b_subModule > .b_moreLink:visited { color: #767676; }
.b_imgSet .cico .b_placeholder { display: flex; justify-content: center; background-color: #f5f5f5; background-clip: content-box; }
.b_imgSet .cico .b_placeholder a { display: flex; }
.b_imgSet .cico .b_placeholder a img { width: 48px; height: 48px; margin: auto; }
@media (max-width: 1362.9px) { #b_context .b_entityTP .b_imgSet li:nth-child(5) { display: none; }
.b_imgSet .b_hList li.wide_m:nth-child(3) { display: none; } }
@media (max-width: 1274.9px) { #b_context .b_entityTP .b_imgSet li:nth-child(4) { display: none; }
.b_imgSet .b_hList li.wide_m:nth-child(2) { display: none; } }
.rcimgcol .b_imgSet { content-visibility: auto; contain-intrinsic-size: 1px 124px; }
.rcimgcol { height: 108px; padding-top: var(--smtc-gap-between-content-x-small); padding-bottom: var(--smtc-gap-between-content-x-small); }
.b_algo:has(.b_agh) .rcimgcol { padding-top: var(--smtc-gap-between-content-xx-small); }
.rcimgcol .b_imgSet { overflow: hidden; }
.rcimgcol .b_imgSet ul { overflow-x: auto; overflow-y: hidden; white-space: nowrap; padding-left: 0; }
.rcimgcol .b_imgSet ul::-webkit-scrollbar { -webkit-appearance: none; }
.rcimgcol .b_imgSet .b_hList > li { padding-right: var(--smtc-padding-ctrl-text-side); }
.rcimgcol .b_imgSet .cico { border-radius: unset; }
.rcimgcol .b_imgSet .b_hList > li:first-child .cico, .rcimgcol .b_imgSet .b_hList > li:first-child .cico a { border-radius: unset; border-top-left-radius: var(--mai-smtc-corner-card-default); border-bottom-left-radius: var(--mai-smtc-corner-card-default); overflow: hidden; }
.rcimgcol .b_imgSet .b_hList > li:last-child .cico, .rcimgcol .b_imgSet .b_hList > li:last-child .cico a { border-radius: unset; border-top-right-radius: var(--mai-smtc-corner-card-default); border-bottom-right-radius: var(--mai-smtc-corner-card-default); overflow: hidden; }
.rcimgcol .rcimgcol .b_sideBleed { margin-left: unset; margin-right: unset; }
.rcimgcol .b_imgclgovr { cursor: pointer; }
.rcimgcol .b_imgclgovr .cico img: hover { transform: scale(1.05); transition: transform .5s ease; }
#b_content #b_results > .b_algo .b_caption:has(.rcimgcol) { padding-right: var(--mai-smtc-padding-card-default); margin-right: calc(-1 * var(--mai-smtc-padding-card-default)); margin-left: calc(-1 * var(--mai-smtc-padding-card-default)); padding-left: var(--mai-smtc-padding-card-default); }
.rcimgcol .b_imgSet .b_hList .cico a { display: flex; outline-

```

```
offset:-2px} sightsOverlay,#OverlayIFrame.b_mcOverlay sightsOverlay{position:fixed
;top:5%;left:5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:1
5px;margin:0;padding:0;overflow:hidden;z-index:9;display:none} #OverlayMask,#Ove
rlyMask.b_mcOverlay{z-index:8;background-
color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}.rcimgcol
.b_hList>li{position:relative;padding-bottom:0}.rcimgcol .b_hList>li .iacf_smol{pointe
r-events:none;border-top-right-radius:var(--mai-smtc-corner-card-default);border-
bottom-right-radius:var(--mai-smtc-corner-card-default);white-
space:normal}.rcimgcol .b_hList .cico{margin-bottom:0}.iacf_smol{display:flex;justif
y-content:center;align-items:center;gap:var(--smtc-gap-between-content-xx-small);wi
dth:100%;height:100%;background:rgba(0,0,0,.6);position:absolute;left:0;top:0;color:
var(--mai-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-body2-
strong);flex-wrap:wrap;align-content:center;text-align:center}.iacf_smol:hover{text-
decoration:underline}.iacfmit[data-nohov] .iacfimgc .cico
img{transform:none}p>.news_dt{color:#767676}Soldier Systems Daily
```

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

