

500 meters of 4-core multimode fiber optic cable



500 meters of 4-core multimode fiber optic cable



It is the stranded loose tube fiber optic cable with compact structure; the cable jacket is made of strong Polyethylene; High strength loose tube that is hydrolysis resistant. Hongan provides GYTS from 4 ...



The slim and robust indoor multi-fiber patch cable is not only cabling in high-density data centers but also terminated into rack mount and wall mount enclosures.



The slim and robust indoor multi-fiber patch cable is not only cabling in high ...



Designed for long-distance outdoor installations, this loose tube OM4 multimode fiber optic cable provides moisture resistance and temperature stability, making it ideal for aerial or underground ...



Browse our wide selection of fiber optic cables for sale and check out our accessories, including connectors, enclosures, and ethernet fiber converters.



500 Meter Length - 50/125 LC-SC 4 Strand Fiber Optic Cable.



Simply plug the cable to any fiber port on the device and high speed fiber optic link between two long distance locations can be generated by spending far less time and cost. Moreover, it suits for various ...



The FOB-1F2DM4R-500M uses 900um tight buffered fiber for optical transmission, aramid yarn is used for added strength, and is covered with a PVC Jacket. This type of cable is ideal for use in ...



Armored fiber optic cables for underground installation with UV and temperature resistance.



Belden's extensive line of indoor and outdoor cable products is offered in tight buffer and loose tube designs. Armored, burial, and ruggedized designs are suited to a host of industrial environments.



Mouser offers inventory, pricing, & datasheets for 500 m Fiber Optic Cables.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

