

Barbados Single Fiber Bidirectional 25G



Barbados Single Fiber Bidirectional 25G




This series of products uses a single single-mode optical fiber for transmission, the center wavelength is 1270nm/1330nm, the distance can reach up to 10km or 30km, and it supports industrial-grade ...



This series of products uses a single single-mode optical fiber for transmission, the center wavelength is 1270nm/1330nm, the distance can reach up to 10km or ...



Shop ROBOfiber SFP miniGBIC BiDirectional Optical Modules at Ubuy Barbados. Single strand, 40Km range, 1.25G rate, LC Connector, DDM features included. Compatible with major Ethernet switches.




The Cisco 10GBASE-LR/10GBASE-BR/25GBASE-BR Module supports a link length of 10 kilometers on a single strand of standard Single-Mode Fiber (SMF) G.652 at both 10G and 25G.



The 25G BiDi SFP28 80KM optical transceiver is a high-performance module designed for long-reach, single-fiber bidirectional transmission over standard G.652 single-mode fiber.



Our 25G BiDi SFP28 40km Side A transceiver enables long-distance single-fiber connectivity. Transmitting at 1270nm and receiving at 1330nm, this bidirectional module supports up to 40km over ...



A 25G Bi-Directional, or BiDi, uses one port with two optical signals of different wavelengths to transmit and receive signals over a single strand fiber. And this saves fiber resources.



SFP28 transceiver that supports 25G connections up to 10 km using single-mode fiber with a duplex LC UPC connector.



The SFP28 transceiver provides up to 20km of 25GBase-BX throughput over single-mode fiber (SMF) using 1330nm-TX/1270nm-RX wavelengths via LC simplex connectors.



The 25G BiDi SFP28 module is a game-changer for deploying a 25G Ethernet network by delivering high-speed Ethernet through one fiber using bidirectional transmission of data.



SFP28 transceiver that supports 25G connections up to 10 km using single-mode ...



It allows data transmission of up to 25 gigabits and also enhances fiber utilization efficiency by enabling bidirectional transmission on a single fiber, reducing fiber laying and rental costs.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

