


Bulgarian LPO optical module QSFP-DD



Bulgarian LPO optical module QSFP-DD



Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D Siliconization. Supports an expansive list of interoperability ...



Introducing our 800G LPO QSFP-DD800, a pinnacle in high-speed connectivity. Infused with Linear-Drive Technology, it transforms short-range, high-bandwidth, low-power, and low-latency applications.



QSFP-DD (Quad Small Form Factor Pluggable Double Density) is an evolution of the QSFP family, extending its lane capacity from 4 to 8 high-speed electrical lanes. Each lane supports ...



The QSFP-DD800 provides the industry's highest bandwidth density of any transceiver module and backward compatibility to lower-speed QSFP ...



QSFP-DD is the most widely adopted form factor for 400G, with great potential for 800G. While QSFP-DD prioritizes backward compatibility, OSFP's larger surface ...



Eoptolink offers a full portfolio of LPO optics for OSFP, OSFP-RHS, QSFP-DD and QSFP112 transceivers. At ECOC 2023, Eoptolink will be conducting an interop demo to highlight ...



QSFP-DD is the most widely adopted form factor for 400G, with great potential for 800G. While QSFP-DD prioritizes backward compatibility, OSFP's larger surface area enables higher thermal efficiency ...



Amphenol's QSFP-DD Linear Pluggable Optical (LPO) Transceiver delivers low-latency, high-bandwidth PCIe ® Gen 5.0 over optical link, enabling scalable server disaggregation and ...



The QSFP-DD (Quad Small Form-Factor Pluggable Double Density) optical transceiver is a revolutionary advancement in high-speed data communication, designed to meet the escalating ...



July 11, 2019 - QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER - Rev 5.0 May 8, 2019 - Common Management Interface Specification - Rev 4.0



Cisco QSFP-DD and OSFP 800G coherent optical modules are supported on Cisco switches and routers. For more details, refer to the Cisco Transceiver Modules Compatibility Matrix.



The QSFP-DD transceiver serves as an optical module which provides 400G and 800G connectivity through its 8 electrical lanes that enable double the transmission capacity of QSFP28.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

