

**Czech Republic available tunable  
optical module OSFP**



## Czech Republic available tunable optical module OSFP



Cisco OSFP-800G-VR8 Compatible 800GBASE-SR8 (2x400G SR4) Twin-port OSFP IHS/Closed Finned Top PAM4 850nm 50m Dual MPO-12/APC DDM MMF Optical Transceiver Module for ...



Our optical modules feature traditional DPO, low-power LRO, LPO, and Active Loopback designs for testing, and support data rates from 10G up to 1.6T across a wide range of package types.



OSFP is designed to support the next generation of 800G optics modules that will use eight lanes of 100Gbps, and offers backwards compatibility with 100G QSFP. They are compliant with the OSFP ...



Octal Small Form-factor Pluggable (OSFP) solution that fits into high-density switch and router client ports for optical interconnect links. Powered by Greylock and Delphi DSP ASICs, and silicon ...



The Lumentum 400ZR module on an OSFP form factor is designed for use by hyperscale data center operators and peering networks to provide high bandwidth interconnections in an industry standard, ...



High-density 800G OSFP and QSFP-DD transceivers support InfiniBand and RoCE, enabling 100m to 2km transmission via MMF and SMF.



The Octal Small Form Factor Pluggable (OSFP) Connector System provides single- or dual-port, 8- or 16-lane I/O connectivity with DAC, AOC, ACC and optical modules for high-density switch applications.



Cisco QSFP-DD and OSFP 800G coherent optical modules are supported on Cisco switches and routers. For more details, refer to the Cisco Transceiver Modules Compatibility Matrix.

Length:14.5mm  
Small-end inner diameter:2.0mm  
Large-end inner diameter:3.5mm  
Outer diameter:5.2mm



40G and 100G optical transceivers provide continued support for established data center and enterprise network deployments. These modules maintain seamless compatibility with widely used switching ...



The OSFP module shall operate within one or more of the case temperature ranges defined in Table 8-1. The temperature ranges are applicable between 60m below sea level and 1800m above sea level.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

