

# HHC Networks & Smart City Solutions

## DC Cable Tray Jumper



## DC Cable Tray Jumper



Bonding jumper accessory for Cope cable tray systems. Ensures reliable electrical connectivity and safe grounding.



Eaton grounding strap, 0.162" height, 6.75" length, 0.162" width, Use to provide grounding path, Copper, Tin plated copper, Grounding strap, Grounding accessories, Includes 1 cable with crimped lugs and ...



We can make earthing jumpers with customized gauge sizes depending on the system voltage and current ratings. At Tuling, you can also optimize the jumper length according to your applications.




Bonding Jumper Use at each expansion splice and where cable tray is not mechanically/electrically continuous to ground \* Hardware included 16" 406 mm 3/8 DIA. Catalog No. 99-N6



B-Line 99-40 Bonding Jumper, For Use With Cable Tray, 4/0 AWG Copper Wire Size, 14.5 in



A bonding jumper is required to be installed with adjustable splices and expansion splices. Install Bonding Jumpers by bolting each lug to a 5/16 square hole located at each end of the channel.



Shop Cable Tray Fitting, Bonding Jumper, 1/4 (Hardware) In, 14-1/2 In L, 1 Pair Pair By B-Line (Eaton) (99-30) At Graybar, Your Trusted Resource For Cable Tray Fittings And Other B-Line (Eaton) Products.



Eaton B-Line series imperial cable tray and ladder bonding jumper, Bonding jumper for #1 copper wire size



Use these jumpers to make electrical bonds between sections of cable tray.



Learn when bonding jumpers are mandatory for cable trays and when UL-rated splice plates are sufficient to ensure electrical continuity and pass your next site inspection.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

