


## Decoder connection to access switch



## Decoder connection to access switch



Use the installation and management software tools to assign an IP address, set the password, and access the device. The installation and management software tools are available from the support ...



With the MXNet setup process, the IP elements have been removed, allowing AV integrators to configure their setup just as they would with any traditional HDMI matrix switch. If using a 3rd party ...



The Encoder and Decoder devices connect either via a direct CATx cable connection or through a Gigabit Ethernet Switch in between. The maximum delivery distance can reach up to 100 m with ...



Allowing users to remotely access and control computers from multiple sources with multiple displays requires a network switch. Multiple encoders can be linked to multiple decoders (multipoint-to ...



Allowing users to remotely access and control computers from multiple sources with multiple displays requires a network switch. Multiple encoders can be linked to multiple decoders (multipoint-to ...



In this link mode, decoder embed switch connect with external switch, and embed/external switch all can connect the IPC linked with ports 1-16, we also can manage the decoder by G1.



This device connects directly via category wires (CAT 5e or better) or fiber optics to the MXnet Switch (AC-MXNET-SW48) or any other compatible multicast-capable managed L3 network switch.



Use the Switch Address button to activate connection and the Disconnect button to deactivate it. KVM Advanced Settings Enable to access the KVM Encoders list ...



Dynamically switch and view decoder output on your PC for recording, editing, videoconferencing, and streaming applications. Use the PC streaming software of your choice and live broadcast your signal ...



To access nearly all of MXNet's features and functions, simply use a modern web browser.\* The MXNet MENTOR web app comes pre-installed on the MXNet Control Box. MENTOR is an easy to use, yet ...



From here, you can switch your sources and displays just like you would with an HDMI matrix switcher. The sources are located on the left, and the displays are on the right.

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

