


Flame-retardant optical cable with 8 cores



Flame-retardant optical cable with 8 cores



These composite cables are specifically designed for radiation sensors and to withstand harsh environments encountered in nuclear power plants. These cables are engineered using the only high ...



Our main products are fire resistant fire alarm cable, solar cable / P V cable, alarm cable, network cable, speaker cable, telephone cable, D M X cable, microphone cable, power cable, blasting wire and ...



Engineered for critical safety, this fire-resistant optic cable provides reliable data transmission in high-risk environments. Fire-Resistant Optical Cables are specially designed to maintain data ...



Corning LSZH™ loose tube gel-free cables are flame-retardant, indoor/outdoor, suitable for installation in interbuilding and intrabuilding applications. The loose tube design offers mechanical ruggedness ...




ems that need to be operational during fire. The cable has a patented design that ensures operatio for more than 3 hours in fires up to 1000oC. The cable is halogen free and flame retardant to protect ...



Offered in OM1, OM3 and OM4 multimode and OS2 singlemode, in 4, 8, 12 or 24 core fibre configurations. All feature a central loose tube construction and internal/external LSZH (Low Smoke ...



Flame-retardant (FR) RIO Wrapping Tube Cable (WTC) with SpiderWeb Ribbon (SWR) is a high-density fiber optic ribbon cable intended for indoor/outdoor network applications where riser-rated products ...



This 1000-meter stranded cable combines robust armoring and flame retardant protection to ensure reliable, long-distance communication in demanding environments, making it ideal for telecom, ...



Jelly filled (non-dripping and silicon-free) loose tube with primary coated optical fibers ($\text{Ø } 250 \pm 15 \mu\text{m}$) High mechanical and full rodent protection provided by Corrugated Steel Tape (CST) armor



This 8-core twisted pair cable supports POE power supply and gigabit network performance, making it ideal for commercial and residential structured cabling. With its 305-meter length and flame-retardant ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

