

High-frequency fiber optic gratings



High-frequency fiber optic gratings



Mathematical models for the realisation, characterization, and simulation of fiber Bragg gratings (FBGs) are required to design gratings for various purposes. In this article, a review of the ...



In this article a fiber Bragg grating interrogator for high frequency measurements up to the megahertz range is presented. The interrogator is based on a passive wavelength to intensity ...



We report a novel long-period fiber grating (LPFG) fabricated by using a new writing technique that is mainly based on the thermal shock effect of focused high-frequency CO2 laser pulses at several ...



For applications at extremely high temperatures, where even Type II gratings might degrade or standard silica fibers drift, regenerated fiber Bragg gratings (RFBGs) can be the solution.



Fiber Bragg grating (FBG) sensors have emerged as advanced tools for monitoring a wide range of physical parameters in various fields, including structural health, aerospace, biochemical, ...



Recently the development of high power fiber lasers has generated a new set of applications for fiber Bragg gratings (FBGs), operating at power levels that were previously thought impossible.



The optical fiber sensing system consists of two fiber gratings. One section of the fiber grating is pasted on the cantilever and serves as an ...



Leveraging commercially available fiber Bragg gratings, we achieve robust, low-loss, low-noise, and polarization-insensitive coupling with light sources.



In this paper, we present a design framework for micro-engineering the temperature coefficients of FBGs over specified temperature ranges, while maintaining low loss and good spectral ...



A CO2 laser-based system was studied and implemented to produce asymmetric long period fiber gratings (LPFG) with a large attenuation peak, high reproducibility, and high stability.



The optical fiber sensing system consists of two fiber gratings. One section of the fiber grating is pasted on the cantilever and serves as an accelerometer; the other is used as a reference ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

