

How to adjust the sensitivity of a fiber optic switch





Chapter 1 Setup Overview The following sections provide instructions on unpacking, setting up and adjusting your Fiber Optic Dual Switch (FOS) unit. 000-10000-040-02-0505...




This mode can change the threshold value depending on the cycle (1 to 9,999 sec.) that is set with the variations of the incident light intensity. The tracking shift amount is the one which is set at the shift ...



Read this manual before use. Keep this manual in a safe place for future reference.



While the current value is displayed, press the button once. Use to switch the output (L-on/D-on), then press the button again.



Sensor Setting Guide available in all major Asian and European languages. An essential support tool for personnel configuring sensors in any country. Download sensor configuration guides.



To connect coaxial reflector optical fiber unit to amplifier, please connect the single core 2 Wh



Fiber optic Sensors have a high-functioning amplifier and many sensor head options making them an ideal choice for the most challenging detection conditions.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

