

## How to enable the Huawei optical module port



### Overview

Execute the command “combo enable fiber” in interface mode to switch to the optical interface; on the contrary, “undo combo enable fiber” switches to the default electrical interface state. Enter system view, return user view with return command. Install dust plugs on idle optical ports. After. How to Configure Optical Ports on Huawei S5720-32P-EI-AC Switch?

Problem: All optical ports cannot be connected, and the indicator lights are not on. Solution: To solve this problem, you can follow these steps: Check if the fiber and optical modules are compatible. It is commonly used by Internet Service Providers (ISPs) to provide high-speed internet connectivity. more The Huawei Router HG8546M is a broadband home gateway device. I have an optic cable that is plugged into the internet providers provided router, Huawei EchoLife HG8145V5.

## How to enable the Huawei optical module port



This article summarizes several solutions for using optical modules with switches and common problems encountered during usage, along with specific solutions.



The document provides configuration instructions and commands for basic switch configuration using Huawei switches. It covers topics such as changing the ...



Module installation is an important factor affecting the service life of switches and modules. In the installation process, be sure to follow the installation steps mentioned above and pay attention to the ...



The router is equipped with four Gigabit Ethernet ports and one POTS (Plain Old Telephone Service) port, allowing users to connect multiple devices and make phone calls ...



The router is equipped with four Gigabit Ethernet ports and one POTS (Plain Old Telephone Service) port, allowing users to connect multiple devices ...



Check whether the optical module is Huawei-certified. If it is not certified by Huawei, replace it with a Huawei certified one. Remove and reinstall the optical module. If this resolves the ...



Do not touch the edge connector of an optical module during the installation. Install an optical module on a port before connecting optical fibers to the transceiver module. Install dust plugs on idle optical ...



Page 29: Accessing The Internet HUAWEI USG6000E Series Quick Start 3 Accessing the Internet Accessing the Internet Default configuration Table 3-1 lists the default configuration. Table 3-1 ...



The answer, which is specific for this hardware and maybe even this ISP, is that there is no way to change the router to work in bridged mode, but there is a LAN port (port #4) that is ...



Execute the command “combo enable fiber” in interface mode to switch to the optical interface; on the contrary, “undo combo enable fiber” switches to the default electrical interface state.



Page 29: Accessing The Internet HUAWEI USG6000E Series Quick Start 3 Accessing the Internet Accessing the Internet Default configuration Table 3-1 lists ...



Run the display device command to check the switch model. Different optical interfaces may support different types of optical modules. The selected optical modules must be supported by ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

