

## LC optical port attenuator



## LC optical port attenuator




male and one female LC/APC port. It is normally connected in-line with an optical jumper. LC/APC optical attenuators can be ordered in attenuation values between 0dB to 10dB



Our male-to-female buildout optical attenuation (Pads) are available across all fiber modes, featuring LC, LC/APC, SC, SC/APC, FC, FC/APC, and ST connector types. Our in-line attenuator is customized to ...



The male-female plug type configuration can be used directly on the end of a patch cord, which in turn can insert directly into an adaptor. Available in LC, SC, FC, ST and MU connector styles with PC or ...




10 Pack Single Mode Fiber Optic Attenuators - 2dB, 5dB, 7dB, 10dB, 15dB, LC/UPC Fiber Attenuator Ideal for Communication & Data Centers Add to cart



FS 5dB LC/UPC fixed optical attenuators with leading attenuating fibers make sure consistent and stable fiber attenuation for long haul transmission all the time.



Shop DigiKey's large in-stock selection of Fiber Optic Attenuators. View inventory, pricing and order now for same day shipping!



LC fiber optic attenuators are used in Dense Wave Division Multiplexing (DWDM) and Erbium Doped Fiber Amplifier (EDFA) applications where the receiver cannot accept the signal generated from a ...



LC Attenuators are essential devices in fiber optic networks, designed to precisely control optical signal power. Compatible with LC connectors, known for their compact and push-pull design, these ...



This LC APC fiber attenuator contains doped fiber suitable for both 1310nm and 1550nm operation. Fixed attenuation values are available in 1dB increments from 1 to 25dB.



LC-LC UPC Male/Female fixed attenuator for singlemode applications to prevent over saturating an optical receiver when the optical power is too high. Using an attenuator ensures low bit error rates ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

