

Om3 Multimode Fiber Optic Set Quota



Om3 Multimode Fiber Optic Set Quota




Choose from our selection of multimode OM3 fiber-optic cable in a wide range of styles and sizes. Same and Next Day Delivery.



For prevailing 10 Gigabit transmission speeds, OM3 is generally suitable for distances up to 300 m, and OM4 is suitable for distances up to 550 m.



OM3 50/125 Multimode Bulk Fiber Optic Distribution Cable - Indoor, Tight-Buffered, OFNP Plenum



Explore our advanced guide on OM3 multimode fiber optic cables to understand the differences between OM1, OM2, and OM3, and find the best fiber patch cable for your 10G cabling ...



Mouser offers inventory, pricing, & datasheets for OM3 50/125 Micron Multimode Fiber Optic Cable Assemblies.



The key considerations when planning a multimode optical fiber infrastructure capable of supporting multiple generations of Ethernet applications are: 1) desired data rate, 2) number of transmit fibers ...



24 Fiber MTP to 12 x LC Duplex OM3 Multimode Fiber Breakout Cable, Plenum Rated (OFNP), Made in America, TAA Compliant Side A Connector: 24 Fiber MTP Elite® Side B Connector: 12 x LC Duplex ...



FS offers OM3 multimode fiber optic patch cables 50/125 with bend insensitive fiber design that is optimal for 10G fiber optic cabling with ultra low link loss.



Datasheet: GD101699v5 850 nm LASER-OPTIMIZED 50/125 MULTIMODE OPTICAL FIBER IEC 60793-2-10 Type A1a.2 and ISO/IEC 11801 (OM3 cabled optical fiber)



We offer Fiber Optic Cable sales by the meter, depending on stock availability, along with competitively priced, high-tech fiber optic cables and custom-manufactured Fiber Cables.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

