

Optical Converter Module Dimensions




Optical Converter Module Dimensions



The V730 is a six-channel logic-level optical-to-electrical converter, packaged as a single-width, 6U VME module. When used with compatible Highland optical transmitter modules, the V730 provides fast, ...



The N7005A Optical-to-Electrical Converter is a high-sensitivity photodetector module for optical-to-electrical conversion of optical signals into oscilloscopes.



Each converter supports multiple data rates and signal formats, including Ethernet (10 Mbps, 100 Mbps, 1 Gbps), ATM, SONET, Fiber Channel, SDI/HD-SDI and many industrial protocols. Multiple ...



The caption in figure 1 that reads: 6500 feet max. should read: 6500 feet maximum distance with continuous 100/140 um fiber-optic cable. 1dB or less per connector. This value has been included in ...



Each module is optimized for different media and reach (ranging from 0.5 meters to 80 kilometers). All interface speeds, from 1G to 400GE have connectivity options that include Direct Attach copper ...



SNAP12 is a 12-channel pluggable parallel optical transmitter or receiver module with an MSA standard chassis mountable MPO interface. It is a self-contained, electrical to optical converter, which requires ...



You can install any standard 3G, 6G or 12G-SDI SFP optical fiber module so you can send SDI using the same low cost optical fiber cables that are commonly used for computer networks.



SFP+ transceiver that supports 10G connections up to 300 m using multi-mode fiber with a duplex LC UPC connector.



Low cost, spectral measurement in a compact module with built-in analysis for: SMSR, OSNR & spectral width. Targeted wavelengths for specific applications in O band, C band & L band.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

