

## Outdoor cabinet thickness specifications



### Overview

Standard 30" high cabinet boxes plus 4. Cabinets are available in three-inch increments in a variety of styles. Cabinet depths are standard 27. They are constructed using 8 x 35mm nylon dowels and 1-5/8 stainless steel screws. 75" or 2" to. All standard doors, drawers and cabinet boxes are manufactured from 20g 304 stainless steel or choose to upgrade to 316 marine grade. Appliances, sinks, faucets, and countertop purchased separately.



## Outdoor cabinet thickness specifications



On end cabinets without back panels (NO BP), riser extends the full depth of cabinet. On LEFT cabinets, riser is recessed on the left side and flush with the right side of cabinet. On RIGHT ...


Rear of the optical fiber distribution box



There are two side burner (OBB) cabinet styles - one placing the burner at countertop level and the recessed cabinet (LOW) placing the burner 7" below the countertop.



Upgrade your outdoor space with our marine-grade HDPE outdoor kitchen cabinets, designed to withstand any weather without cracking, rusting or peeling.




Click below to download the cabinet specifications. If you have any questions or need additional measurements, please contact us. If you need help planning an outdoor kitchen or other project ...



All of our cabinets are made from solid 3/4" thick high density polyethylene (HDPE). Our cabinets are CNC machined for exact tolerances within one half millimeter.



Wherever manufacturers Wall Cabinets with a standard depth of 15 Inches, to not only accommodate larger plates and other items, but to also accommodate reach over the deeper base cabinets and ...



Spacers consist of 3 panels that connect supports to each other, support to cabinet, or cabinets together. Finished panels hang over the spacers and supports for an even look, so specify ...



DCBS39 matches cabinets of 27" depth, DCBS36 matches cabinets of 24" depth. Note: 1" wide or greater front fillers are recommended on either side of cabinet for clearance.



All cabinetry shown is specified to ADA standards with leg adjustments of 2-2.75" depending on thickness of countertops. 4-4.75" standard leg height is also available. Appliances, sinks, faucets, ...



All standard doors, drawers and cabinet boxes are manufactured from 20g 304 stainless steel or choose to upgrade to 316 marine grade. European frameless, solid top construction with full overlay doors. ...

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

