

QSFP28 optical module NRZ available now



QSFP28 optical module NRZ available now



The QSFP28 optical transceiver module is designed for use in 100GBASE Ethernet throughput up to 100km over single mode fiber (SMF) using a wavelength of 1310nm via duplex LC connectors.



These reliable and robust QSFP28 modules support high speed bit rates up to 50Gb/s over link distances up to 40km and can be offered with a choice of 1-lane 50G PAM4 or 2-lane 25G NRZ ...



YXF-CWDM-100G-Q28 CWDM QSFP28 optical transceiver is designed for 100GBASE OTN applications. It enables transmission distances up to 40km over single-mode fiber (SMF) via a duplex ...



These products feature four channels of 25G NRZ electrical signals and four channels of 25G NRZ optical signals, a duplex LC connector, a distance of up to 10km reach via single-mode fiber, a case ...



Ships in 10 days from order date. The QSFP-10000-DR1 is a single lambda short reach single-mode 100G QSFP28 optical module transceiver compatible with the 100GBase-DR1 specifications. It uses ...



If you are planning to deploy 100G BIDI in existing 100G QSFP28 infrastructure which has NRZ modulation support - 100G BIDI NRZ and BIDI NRZ LR4 modules are the ones to choose from.



QSFP28 (Quad Small Form-Factor Pluggable 28) is a 4-lane optical form factor standard supporting 100G connectivity via 4x25G NRZ and PAM4 modulation.




SFP28 • QFSP28 Optical Modules Amphenol 25G SFP28 Optical Transceiver Modules and 100G QSFP28 Optical Transceiver Modules Available Now in SR (Short-Range) Multimode and LR (Long ...



FIBERSTAMP 100G QSFP28 AOC active optical cable is used for short-distance interconnection between internal devices in data centers. It complies with IEEE 802.3bm 100GBASE-SR4 Ethernet ...



It shows what goes into today's 100G QSFP28 pluggable optical modules. Notice that they are inherently four-channel devices, both in the optical interface facing right, and the electrical ...



YXF-CWDM-100G-Q28 CWDM QSFP28 optical transceiver is designed for 100GBASE OTN applications. It enables transmission distances up to 40km over single-mode fiber (SMF) via a duplex ...

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

