

Rack Splitter Mounting Bracket



Rack Splitter Mounting Bracket




It keeps unit elevated above lawn mowers, weed trimmers, pets, snow and flooding. The elevated height allows for ease of installation, maintenance and service. These stands come in 2 convenient depths ...




Mini Split Wall Mounting Bracket, Mini Split Brackets for Outside for 6000-36000 BTU Minisplit/Air Conditioner/Heat Pump (Max 550 LBS), Pre-Drilled 16" Holes to Match U.S. Wall Stud Standard



MINI-SPLIT Condenser Wall Brackets up to 500 lbs. Outdoor Single & Dual Condenser Stands. Adjustable Rails. 12" to 24" High



Della Outdoor Wall Mounting Bracket for Ductless 6000-36000 BTU Mini Split, Compressor and Heat Pump System, Easy to Install ...



Wall brackets for mounting mini-splits to siding, concrete walls or studded walls.



Quick-Sling® Large Wall Bracket with Rail and 2 Arms, Stainless Steel



The Quick Sling line of wall brackets provide a quick, safe, and stable way to mount an outdoor mini-split unit to multiple types of wall structures. They are designed for easy access during installation, ...



We add new products daily to bring latest rack mount technology to our customers.



Della Outdoor Wall Mounting Bracket for Ductless 6000-36000 BTU Mini Split, Compressor and Heat Pump System, Easy to Install Universal Heavy Duty Mini Split Bracket, Supports up to 485 LBS



Mini Split Wall Mounting Bracket: Condenser Wall Mount Rack for 7000 9000 12000 BTU Mini Split Air Conditioner Units, Outside Split System Mount Condenser Bracket, Max 400 LBS



Shop mounting brackets, risers and tools for your mini-split HVAC systems. Order mini-split mounting today with fast shipping and easy returns.

Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: hello@hashherbcafe.co.za

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

