

## Recessed Optical Module Housing



### Overview

During the use of optical modules, the recessed housing offers significant advantages over traditional sliding housings: The sunken structure allows for smooth installation without the risk of the cage getting stuck, making unlocking easier. Small aperture LED specification downlights available in 1", 2" and 4" apertures. Iolite Series produces up to 2500 lumens in 2700K, 3000K, 3500K, 4000K, 5000K or Comfort Dim. ocus. Precision ground lenses focus upon independently locking light masking shutters for a securely shaped Focused Light Border "FB" (standard). For our proprietary Fade In® Light Border specify effects. The LM Lighting Modules include the driver, LED Chip, proprietary optics and cooling stem. Check each product page for other buying options. Sunco 24 Pack 6 Inch Recessed Lighting Housing Can, New Construction Air Tight Ceiling Cans, 120-277V, Hard Wired, TP24 Connector, Easy Install, IC Rated UL. Suitable for 2x8 residential framing or commercial plenum construction, type IC rated and can be used in direct contact with insulation. Airtight rating reduces airflow between living spaces and. Typically ships in 21 day (s) Actual lead time confirmed upon receipt of order. This family of Corning hardware is fully frame compatible with Lucent LGX frames

and components.

## Recessed Optical Module Housing




Engineered with state of the art LED and driver technology, Ocularc 3.0, 2.0, 1.0 family of recessed lighting offers various styles, IC and Airtight Rated New Construction and Remodel, and low glare ...



Find recessed lighting options up to 8 inches in diameter, as well as standard 4-inch and 6-inch models. Some housings also include air-tight construction that will help to prevent unwanted airflow between ...









Without the power provided by recessed housings, your recessed lighting would be little more than a hole in the ceiling. The range of available can light housings accommodates a variety of installation ...



Recessed 6" aperture new construction housing for use with LED integrated trims or modules. Suitable for 2x8 residential framing or commercial plenum construction, ...



Wendel The Wendel® 415PL Recessed Framing Projector is factory installed into an insulation contact / air tight recessed housing. A white high color rendering LED light was discriminately selected to ...

	<p>Sunco 10 Pack 4 Inch Can Lights Housing New Construction, Recessed Can Housing for Ceiling, Hard Wired, TP24 Connector, 120-277V, Air Tight Steel, IC Rated, Easy Install UL.</p>
	<p>Recessed 6" aperture new construction housing for use with LED integrated trims or modules. Suitable for 2x8 residential framing or commercial plenum construction, type IC rated and can be used in ...</p>
	<p>Recessed 4" aperture ultra-shallow new construction housing for use with LED integrated trims. Suitable for 2x4 residential framing or shallow plenum commercial construction, type IC rated and can be ...</p>
	<p>LDC connector housings provide interconnect and cross-connect capabilities between the outside plant, riser or distribution cables and the opto-electronics. The housings can be wall- or rack-mounted in 19 ...</p>
	<p>Housings include new construction, remodel, can-less or retrofit existing housings. Small aperture LED specification downlights available in 1", 2" and 4" apertures. Featuring COB LED technology with field ...</p>
	<p>Through relentless efforts, we have successfully launched a recessed, innovative optical module housing design, perfectly compatible with 10G dual-fiber optical modules.</p>

## Contact Us

For more information, pricing, or custom network solutions, please contact us:

Website: <https://hashherbcafe.co.za>

Email: [hello@hashherbcafe.co.za](mailto:hello@hashherbcafe.co.za)

Phone: +27 63 814 7295

Address: 15 Galaxy Road, Linbro Business Park, Johannesburg, 2065, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

